New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

ND

Sample ID: 2608NBL1410.3863
Matrix: Concentrates & Extracts
Type: Distillate
Sample Size:
Date Collected:

Received: 08/11/2026
Completed: 08/13/2026
Expires: 08/13/2027
External Lot ID:
Batch#: ND-001

Client
Twisted Trees
Lic. #
117 Parkview Circle Piney Flats, TN 37686
(423) 391-0136 compliance@cbdplususa.com



Summary

Test	Date Tested	Result
Cannabinoids	08/12/2026	Pass

Cannabinoids

Pass

ND	ND	ND	ND
Total Δ9-THC	Compliance Result	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	MU
	%	%	%	mg/g	%
(6aR,9R)-d10-THC	0.0926	0.139	ND	ND	±0.0000
9R-HHC	0.0926	0.139	ND	ND	±0.0000
(6aR,9S)-d10-THC	0.0926	0.139	ND	ND	±0.0000
9S-HHC	0.0926	0.139	ND	ND	±0.0000
CBC	0.0926	0.139	ND	ND	±0.0000
CBCa	0.0926	0.139	ND	ND	±0.0000
CBD	0.0926	0.139	ND	ND	±0.0000
CBDa	0.0926	0.139	ND	ND	±0.0000
CBDV	0.0926	0.139	ND	ND	±0.0000
CBDVa	0.0926	0.139	ND	ND	±0.0000
CBG	0.0926	0.139	ND	ND	±0.0000
CBGa	0.0926	0.139	ND	ND	±0.0000
CBN	0.0926	0.139	ND	ND	±0.0000
CBNa	0.0926	0.139	ND	ND	±0.0000
Δ8-THC	0.0926	0.139	ND	ND	±0.0000
Δ9-THC	0.0926	0.139	ND	ND	±0.0000
THCa	0.0926	0.139	ND	ND	±0.0000
THCp	0.0926	0.139	ND	ND	±0.0000
THCV	0.0926	0.139	ND	ND	±0.0000
THCVa	0.0926	0.139	ND	ND	±0.0000
Total THC			**ND**	**ND**	
Total CBD			**ND**	**ND**	
Total			**ND**	**ND**	

Date Tested: 08/12/2026

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is included in the reported result.

Ashley Phillips
Laboratory Director
08/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.